

MOLYSLIP MSO

Page: 1

Compilation date: 18/10/2013

Revision date: 14/12/2015

Revision No: 7

## Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: MOLYSLIP MSO

Product code: 44000

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC25: Metal working fluids.

## 1.3. Details of the supplier of the safety data sheet

Company name: Molyslip Atlantic Ltd

Oxford Office Village, Langford Lane,

A1 Danebrook Court

Kidlington

Oxfordshire

OX5 1LQ

**Tel:** 01865 370032

Fax: 01865 372030

Email: enquiries@molyslip.co.uk

# 1.4. Emergency telephone number

## Section 2: Hazards identification

### 2.1. Classification of the substance or mixture

Classification under CLP: Eye Dam. 1: H318; Skin Irrit. 2: H315

Most important adverse effects: Causes skin irritation. Causes serious eye damage.

### 2.2. Label elements

Label elements:

Hazard statements: H315: Causes skin irritation.

H318: Causes serious eye damage.

Signal words: Danger

Hazard pictograms: GHS05: Corrosion



Precautionary statements: P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+352: IF ON SKIN: Wash with plenty of water/soap.

MOLYSLIP MSO

Page: 2

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310: Immediately call a POISON CENTER/doctor/.

P321: Specific treatment (see instructions on this label).

# 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

#### 3.2. Mixtures

## Hazardous ingredients:

# DISTILLATES(PETROLEUM), HYDROTREATED HEAVY PARAFFINIC - REACH registered number(s): 01-2119484627 -25

EINECS	CAS	PBT / WEL	CLP Classification	Percent
265-157-1	64742-54-7	-	Asp. Tox. 1: H304	70-90%

#### FATTY ACID TALL OIL POTASSIUM SOAP

263-136-1 61790-44-1 - Eye Irrit. 2: H319 1-10%	Eye Irrit. 2: H319 1-10%	-	61790-44-1	263-136-1	
---	--------------------------	---	------------	-----------	--

## SODIUM SULPHONATE

-	68411-30-3	-	Acute Tox. 4: H302; Skin Irrit. 2: H315;	1-10%
			Eye Dam. 1: H318	

## Section 4: First aid measures

### 4.1. Description of first aid measures

Skin contact:	: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash			
	immediately with plenty of soap and water.			
Eye contact:	Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist			
	examination.			
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water			
	to drink immediately. Consult a doctor.			
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so.			
4.2. Most important symptoms and effects, both acute and delayed				
Skin contact:	There may be irritation and redness at the site of contact.			
	There may be irritation and redness at the site of contact. There may be pain and redness. The eyes may water profusely. There may be severe			
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe			
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.			
Eye contact: Ingestion:	There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage. There may be soreness and redness of the mouth and throat. Nausea and stomach			

MOLYSLIP MSO

#### 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

### **Section 5: Fire-fighting measures**

#### 5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

#### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## Section 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

#### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

## Section 7: Handling and storage

#### 7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

## 7.3. Specific end use(s)

Specific end use(s): PC25: Metal working fluids.

MOLYSLIP MSO

Page: 4

# Section 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### Hazardous ingredients:

#### DISTILLATES(PETROLEUM), HYDROTREATED HEAVY PARAFFINIC

#### Workplace exposure limits:

## **Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	5mg/m3	-	-	-

### DNEL/PNEC Values

DNEL / PNEC No data available.

#### 8.2. Exposure controls

Engineering measures:Ensure there is sufficient ventilation of the area.Respiratory protection:Self-contained breathing apparatus must be available in case of emergency.Hand protection:Protective gloves.Eye protection:Tightly fitting safety goggles. Ensure eye bath is to hand.Skin protection:Protective clothing.Environmental:Ensure all engineering measures mentioned in section 7 of SDS are in place.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

State: Liquid

Colour: Yellow-brown

Odour: Perceptible odour

Viscosity: Viscous

#### 9.2. Other information

Other information: No data available.

### Section 10: Stability and reactivity

# 10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

## 10.2. Chemical stability

Chemical stability: Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

MOLYSLIP MSO

## 10.4. Conditions to avoid

## Conditions to avoid: Heat.

### 10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

### Section 11: Toxicological information

11.1. Information on toxicological effects

### Hazardous ingredients:

#### DISTILLATES(PETROLEUM), HYDROTREATED HEAVY PARAFFINIC

DERMAL	RBT	LD50	>5000	mg/m3
ORAL	RAT	LD50	>5000	mg/m3
VAPOURS	RAT	LD50	>5000	mg/m3

### Relevant hazards for substance:

Hazard	Route	Basis
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated

#### Symptoms / routes of exposure

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

#### Section 12: Ecological information

#### 12.1. Toxicity

#### Hazardous ingredients:

#### DISTILLATES(PETROLEUM), HYDROTREATED HEAVY PARAFFINIC

Daphnia magna	96H LC50	110	mg/l
GREEN ALGA (Selenastrum capricornutum)	72H ErC50	110	mg/l

MOLYSLIP MSO

Page: 6

### 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

#### 12.4. Mobility in soil

Mobility: Readily absorbed into soil.

# 12.5. Results of PBT and vPvB assessment

**PBT identification:** This product is not identified as a PBT/vPvB substance.

#### 12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

### Section 13: Disposal considerations

#### 13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal
	company.
<b>Recovery operations:</b>	Recycling/reclamation of organic substances which are not used as solvents (including
	composting and other biological transformation processes).
Disposal of packaging:	Arrange for collection by specialised disposal company.
NB:	The user's attention is drawn to the possible existence of regional or national
	regulations regarding disposal.

#### Section 14: Transport information

Transport class: This product does not require a classification for transport.

# Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Specific regulations: Not applicable.

#### 15.2. Chemical Safety Assessment

### Section 16: Other information

### Other information

Other information:This safety data sheet is prepared in accordance with Commission Regulation (EU) No<br/>453/2010.<br/>\* indicates text in the SDS which has changed since the last revision.Phrases used in s.2 and s.3:H302: Harmful if swallowed.<br/>H304: May be fatal if swallowed and enters airways.<br/>H315: Causes skin irritation.<br/>H318: Causes serious eye damage.<br/>H319: Causes serious eye irritation.

MOLYSLIP MSO

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. Page: 7